

## 10 - Site Equipment





Technical Specification	
Colour	Anthracite
Shelf Life	24 months
Limitations - Chemical Resistance	
Water, seawater, aliphatic solvents, oils, greases, diluted organic acids.  Practically no dirt attachment.	
Esters, Ketones, Aromatics, chlorine for swimming pools chlorinated	
solvents.	
Concentrated Acids	

## AC0925

## OB1 Sealant & Adhesive - Anthracite

- Bonds all metals even lead. Also bonds plastics including PVC & GRP and more materials including glass, mirror, polystyrene, fibreglass & wood. Works in water. Features zero VOCs.
- In harsh conditions it maintains its robust bond when cured from -40°C to +120°C
- Perfect solution for use in kitchens and food preparation areas
- Ideal sealant for under water applications even resistant to saltwater
- For instant repair or bonding with carbon fibre materials, fibreglass and GRP
- Allows flexible adhesion that can move with the expansion and contraction of metal and steel
- Contains no solvents, is odourless and kind to the environment
- Contain no solvents so will never crack, shrink or collapse, creating a permanent seal/bond
- Contains no solvents or isocyanates so it will not degrade the back of mirrors
- Features Zero VOC's so it cures solid with no holes where bacteria can breed resulting in mould
- Perfect for roofing applications, seals, grips and fills lead flashings to stone, brick and felt

10-AC0925-2022-V1

