





Actual Lumen Output 480/700  Class II  Color Finish White  Correlated Color Temperature 3000/4000/5700K  Diameter (mm) 100  Dimmable Yes, Triac dimmable only  Height (mm) 58.4  IP Rating IP65  LED Life (Hours)* 88000  Length (mm) 547  Lumens Per Circuit Watt 160/140  Luminaire Circuit Wattage 3/5 selectable  Operating Temperature Range °C  Product Aperture Size 83mm Ø  Voltage Rating 230-240	Technical Specifications	
Color FinishWhiteCorrelated Color Temperature3000/4000/5700KDiameter (mm)100DimmableYes, Triac dimmable onlyHeight (mm)58.4IP RatingIP65LED Life (Hours)*88000Length (mm)547Lumens Per Circuit Watt160/140Luminaire Circuit Wattage3/5 selectableOperating Temperature Range °C0 to 26Product Aperture Size83mm Ø	Actual Lumen Output	480/700
Correlated Color Temperature3000/4000/5700KDiameter (mm)100DimmableYes, Triac dimmable onlyHeight (mm)58.4IP RatingIP65LED Life (Hours)*88000Length (mm)547Lumens Per Circuit Watt160/140Luminaire Circuit Wattage3/5 selectableOperating Temperature Range °C0 to 26Product Aperture Size83mm Ø	Class	II
Diameter (mm)100DimmableYes, Triac dimmable onlyHeight (mm)58.4IP RatingIP65LED Life (Hours)*88000Length (mm)547Lumens Per Circuit Watt160/140Luminaire Circuit Wattage3/5 selectableOperating Temperature Range °C0 to 26Product Aperture Size83mm Ø	Color Finish	White
DimmableYes, Triac dimmable onlyHeight (mm)58.4IP RatingIP65LED Life (Hours)*88000Length (mm)547Lumens Per Circuit Watt160/140Luminaire Circuit Wattage3/5 selectableOperating Temperature Range °C0 to 26Product Aperture Size83mm Ø	Correlated Color Temperature	3000/4000/5700K
Height (mm)         58.4           IP Rating         IP65           LED Life (Hours)*         88000           Length (mm)         547           Lumens Per Circuit Watt         160/140           Luminaire Circuit Wattage         3/5 selectable           Operating Temperature Range °C         0 to 26           Product Aperture Size         83mm Ø	Diameter (mm)	100
IP Rating IP65  LED Life (Hours)* 88000  Length (mm) 547  Lumens Per Circuit Watt 160/140  Luminaire Circuit Wattage 3/5 selectable  Operating Temperature Range °C  Product Aperture Size 83mm Ø	Dimmable	
LED Life (Hours)*  Length (mm)  547  Lumens Per Circuit Watt  Luminaire Circuit Wattage  Operating Temperature Range °C  Product Aperture Size  88000  547  160/140  0 to 26  83mm Ø	Height (mm)	58.4
Length (mm)547Lumens Per Circuit Watt160/140Luminaire Circuit Wattage3/5 selectableOperating Temperature Range0 to 26°CProduct Aperture Size83mm Ø	IP Rating	IP65
Lumens Per Circuit Watt       160/140         Luminaire Circuit Wattage       3/5 selectable         Operating Temperature Range °C       0 to 26         Product Aperture Size       83mm Ø	LED Life (Hours)*	88000
Luminaire Circuit Wattage       3/5 selectable         Operating Temperature Range °C       0 to 26         Product Aperture Size       83mm Ø	Length (mm)	547
Operating Temperature Range 0 to 26 °C  Product Aperture Size 83mm Ø	Lumens Per Circuit Watt	160/140
°C  Product Aperture Size 83mm Ø	Luminaire Circuit Wattage	3/5 selectable
·		0 to 26
Voltage Rating 230-240	Product Aperture Size	83mm Ø
	Voltage Rating	230-240

## AC43845

## **Downlight fire rated tilt 3/5W 3CCT IP65** white bezel

## **Features & Benefits**

- Two wattage and three colour selectable from remote driver
- Two-part first fix connector with dedicated testing terminals
- Double hinged terminal for easy access to terminal blocks
- Tested for use in Solid, I-Joist and Steel Open Web joist ceilings
- 20° tiltable adjustment
- Triac dimmable as standard, see JCC.co.uk for approved dimmer list

4-AC43845-2025-V1

